

THE 67TH INTERNATIONAL



OPEN READINGS

CONFERENCE FOR STUDENTS OF PHYSICS AND NATURAL SCIENCES

BOOK OF
ABSTRACTS

2024



Vilnius
University

VILNIUS UNIVERSITY PRESS

ANALYSIS OF SILVER NANOPARTICLE LAYER FORMATION ON LASER-INDUCED PERIODIC SURFACE STRUCTURES	226
Mantas Mikalkevičius, Nadzeya Khinevich, Tomas Tamulevičius, Asta Tamulevičienė	
SIZE-DEPENDENT PROPERTIES OF YTTERBIUM DOPED CESIUM LEAD HALIDE PEROVSKITE PARTICLES	227
Daniel Rodz, Simona Streckaitė, Vidmantas Gulbinas	
STABILIZATION OF DELTA-Bi₂O₃ PHASE AT ROOM TEMPERATURE BY THERMAL NANOCRYSTALLIZATION OF BISMUTH OXIDE GLASSES	228
Maciej Nowagiel, Julien Trébosc, Olivier Lafon, Tomasz Płociński, Marek Wasiucione, Jerzy E Garbarczyk, Tomasz K Pietrzak	
DESIGN AND SYNTHESIS OF MOLECULAR BUILDING BLOCKS FOR MODULAR SUPRAMOLECULAR CAVITANDS	229
Nojus Radzevičius, Edvinas Orentas	
ELECTROCHEMICAL SENSOR DEVELOPMENT FOR MELAMINE DETECTION	230
Ernestas Brazys, Vilma Ratautaitė, Arūnas Ramanavičius	
ANTIOXIDANT CONTENT OF FOOD PACKAGES MADE FROM POLYETHYLENE	231
Toma Petrulionienė, Tomas Murauskas	
DISSOLUTION-PRECIPIATION SYNTHESIS OF MAGNESIUM WHITLOCKITE FROM AMORPHOUS CALCIUM PHOSPHATE	232
Gabrielė Eglė Budžytė, Rūta Raišeliene, Inga Grigoravičiūtė, Aivaras Kareiva, Aleksej Žarkov	
ANALYSIS OF WATER SORPTION OF FILMS BASED ON MODIFIED STARCH	233
Olena Ishchenko, Daria Kuchynska, Irina Liashok, Maria Kuchynska	
AN ATTEMPT TO SYNTHESIZE MESOPOROUS SILICA BY A DIFFERENT SILICA PRECURSORS AND POROGENS	234
Gerardas Laurinavičius, Vilius Poškus	
HYDROGEN GENERATION ON CoFe CoFeMn AND CoFeMo COATINGS DEPOSITED ON Ni FOAM VIA ELCTEROLESS METAL PLATING	235
Huma Amber, Karina Vjunova, Zita Sukackienė, Dijana Šimkūnaitė, Juratė Vaiciuniene, Loreta Tamasauskaite-Tamasiunaite, Eugenijus Norkus	
ELECTRON-POOR ACRIDONES AND ACRIDINIUMS AS SUPER PHOTOOXIDANTS INMOLECULARPHOTOELECTROCHEMISTRY BY UNUSUAL MECHANISMS	236
Jonas Žurauskas, Edvinas Orentas, Paulius Vaickūnas, Soňa Boháčová, Shangze Wu, Valeria Butera, Simon Schmid, Michał Domański, Tomáš Slanina, Joshua P Barham	
ASSEMBLY AND RESEARCH OF ARTIFICIAL ROOT SYSTEM	237
Ernestas Svirbutavičius, Šarūnas Žukauskas, Arūnas Ramanavičius	
SYNTHESIS OF NEW 3-(2-OXOBENZODOXAZOL-3(2H)-YL)PROPANOIC ACID DERIVATIVES	238
Birutė Grybaitė, Birutė Sapjanskaitė-Banevič, Rita Vaickelionienė, Kazimieras Anusevičius, Vytautas Mickevičius	

DISSOLUTION-PRECIPITATION SYNTHESIS OF MAGNESIUM WHITLOCKITE FROM AMORPHOUS CALCIUM PHOSPHATE

Gabrielė Eglė Budžytė¹, Rūta Raišėlienė¹, Inga Grigoravičiūtė¹, Aivaras Kareiva¹, Aleksej Žarkov¹

¹Institute of Chemistry, Vilnius University, Naugarduko 24, LT-03225 Vilnius, Lithuania
gabregle@gmail.com

Calcium phosphates (CPs) represent the most widespread class of ceramic biomaterials used for bone regeneration purposes due to their excellent biological performance and similarity in chemical composition to natural bone. Magnesium whitlockite (Mg-WH, $\text{Ca}_{18}\text{Mg}_2(\text{HPO}_4)_2(\text{PO}_4)_{12}$) can be considered as a Mg-substituted CP, which naturally occurs in humans. This compound is known to be the second most abundant biomineral in human body. Despite the presence of high content of Mg-WH in the human body, it is not so widely used in clinics, basically due to the challenges in the preparation of this material. Nevertheless, in recent years, Mg WH attracted significantly more attention as a number of studies reported various synthetic approaches and characterization of Mg-WH. It was demonstrated that Mg-WH possesses some superior properties compared to those of frequently used biomaterials such as calcium hydroxyapatite (HAp, $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$) or tricalcium phosphate (TCP, $\text{Ca}_3(\text{PO}_4)_2$). Remarkable member of the CPs family is amorphous CP (ACP), which is metastable and highly reactive due to its non-crystalline nature. Consequently, ACP can be used as a precursor for the synthesis of other phosphate-based materials. In the present work, we report the synthesis of Mg-WH using ACP as starting material. Phase conversion of ACP to Mg-WH occurs in an aqueous medium in the presence of Mg ions. The influence of synthesis parameters such as temperature, duration and concentration of Mg ions was investigated in detail. The phase crystallinity and purity was analyzed using powder X-ray diffraction and FTIR spectroscopy. The morphological features and chemical composition of the synthesized products were studied by SEM/EDX analysis.