

THE 67TH INTERNATIONAL



OPEN READINGS

CONFERENCE FOR STUDENTS OF PHYSICS AND NATURAL SCIENCES

**BOOK OF
ABSTRACTS**

2024



Vilnius
University

VILNIUS UNIVERSITY PRESS

Editors:

Martynas Keršys
Rimantas Naina
Vincentas Adomaitis
Emilijus Maskvytis

Cover and Interior Design:

Goda Grybauskaitė

Vilnius University Press
9 Saulėtekio Av., III Building, LT-10222 Vilnius
info@leidykla.vu.lt, www.leidykla.vu.lt/en/
www.knygynas.vu.lt, www.journals.vu.lt

Bibliographic information is available
on the Lithuanian Integral Library Information System (LIBIS) portal www.ibiblioteka.lt
ISBN 978-609-07-1051-7 (PDF)

© Vilnius University, 2024

SYNTHESIS OF NEW COMPOSITION PRASEODYMIUM DOPED LUTETIUM AND GADOLINIUM ALUMINUM GARNETS MODIFIED BY SCANDIUM AND BORON ELEMENTS TO IMPROVE LUMINESCENCE PROPERTIES

Greta Inkrataite¹, Jan-Niklas Keil², Thomas Jüstel², Agne Kizalaite¹, Ramunas Skaudzius¹

¹Institute of Chemistry, Faculty of Chemistry and Geosciences, Vilnius University, Naugardukas st. 24, LT-03225 Vilnius, Lithuania

²Department of Chemical Engineering, Münster University of Applied Sciences, Stegerwaldstraße 39, 48565 Steinfurt, Germany
greta.inkrataite@chgf.vu.lt

In order to convert high energy radiation, such as gamma or X-rays, into visible light scintillators are needed. Praseodymium doped lutetium aluminum garnets have high density, thermal stability, rather efficient luminescence processes which are needed for a good scintillator. However, further optimization of short decay time is needed. Luminescence decay is important because if it is very short then more signals can be measured within a defined timeframe, resulting in a better resolved and higher quality image in CT devices. One way to improve materials' properties is to doping compounds with different elements. One of these elements is boron. Boron can be used as a flux, also B³⁺ has a suitable neutron capture cross section and can help absorb gamma radiation [1-3]. Lutetium aluminum scandium garnets doped with Pr³⁺ and/or B³⁺ were obtained as a result. These garnets are synthesized and studied for the first time. In this work, the phase purity and morphology of the samples were analyzed with X-ray diffraction, SEM. Photoluminescence properties such as emission, excitation spectra, decay curves, quantum efficiency and temperature dependency spectra have been investigated. Radioluminescence was also measured. The positive impact of boron addition into the garnet structure on the luminescence properties will be discussed in detail.

-
- [1] C. Foster, Y. Wu, M. Koschan, et. al., Boron Codoping of Czochralski Grown Lutetium Aluminum Garnet and the Effect on Scintillation Properties, *Journal of Crystal Growth* 486, 126 – 129 (2018).
 [2] D. S. McGregor, Materials for Gamma-Ray Spectrometers: Inorganic Scintillators, *Annual Review of Materials Research* 48, 254-277 (2018).
 [3] G. Inkrataite, M. Kemere, A. Sarakovskis, R. Skaudzius, Influence of boron on the essential properties for new generation scintillators, *Journal of Alloys and Compounds* 875, 160002 (2021).