

LITHUANIAN COMPUTER SOCIETY  
VILNIUS UNIVERSITY  
INSTITUTE OF DATA SCIENCE AND DIGITAL TECHNOLOGIES  
LITHUANIAN ACADEMY OF SCIENCES



11th International Workshop on  
**DATA ANALYSIS  
METHODS FOR  
SOFTWARE  
SYSTEMS**

Druskininkai, Lithuania, Hotel "Europa Royale"  
<http://www.mii.lt/DAMSS>

**November 28–30, 2019**

VILNIUS UNIVERSITY PRESS  
Vilnius, 2019

**Co-Chairmen:**

Dr. Saulius Maskeliūnas (Lithuanian Computer Society)

Prof. Gintautas Dzemyda (Vilnius University, Lithuanian Academy of Sciences)

**Programme Committee:**

Prof. Juris Borzovs (Latvia)

Prof. Albertas Čaplinskas (Lithuania)

Prof. Robertas Damaševičius (Lithuania)

Prof. Janis Grundspenkis (Latvia)

Prof. Janusz Kacprzyk (Poland)

Prof. Ignacy Kaliszewski (Poland)

Prof. Yuriy Kharin (Belarus)

Prof. Tomas Krilavičius (Lithuania)

Prof. Julius Žilinskas (Lithuania)

**Organizing Committee:**

Dr. Jolita Bernatavičienė

Prof. Olga Kurasova

Dr. Viktor Medvedev

Laima Paliulionienė

Dr. Martynas Sabaliauskas

**Contacts:**

Dr. Jolita Bernatavičienė

*jolita.bernatavicienne@mif.vu.lt*

Prof. Olga Kurasova

*olga.kurasova@mif.vu.lt*

Tel. +370 5 2109 315

Copyright © 2019 Authors. Published by [Vilnius University Press](#)

This is an Open Access article distributed under the terms of the [Creative Commons Attribution Licence](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

<https://doi.org/10.15388/Proceedings.2019.8>

ISBN 978-609-07-0325-0 (digital PDF)

© Vilnius University, 2019

# Overview of Identification of Phishing Email Messages

Laurynas Dovydaitis, Kęstutis Driaunys

Kaunas Faculty  
Vilnius University  
*laurynas.dovydaitis@knf.vu.lt*

Phishing social engineering attack is targeted towards individuals and organizations. Typically, the attack is conducted in two steps, where an email is sent to a victim and then an attacker waits for the victim to follow an URL link embedded in that email message. This overview provides the identification of phishing email messages. After analyzing the differences between the two methods, it is proposed to combine two classification feature sets as a new approach to identifying a phishing message.